西醫傳統醫療以外的選擇和決定 Alternative options and choice in End-of-Life Care

黃譚智媛醫生

香港大學醫學院榮譽教授2017年6月10日



常見「生命晚期」狀況 Common End-of-Life Conditions

▶老年人:

急症伴隨著慢性病,如中風(病人已患認知障礙或帕金森病) Elderly with acute on chronic conditions e.g. stroke on dementia/ Parkinson

▶年輕人:

晚期慢性疾病,如癌症第四期或復發 Young with late stage chronic condition e.g. cancer stage 4 or recurrent




不同層次的考慮 Different Levels of Consideration

- ➤症狀緩解 Symptomatic relief
- ➤延長壽命,若有好的生活質量 Prolong life if good quality of life
- ▶英勇、奇蹟治療:不惜一切代價 Heroic, miracle treatment at all cost



Factors for Consideration





補充和替代醫學Complementary & Alternative Medicine

- ▶身心靈管理Mind Body Spirit Management (AB)
- ➤針灸和推拿Acupuncture & Tuina (AB)
- ➤氣功Qigong (ABC)
- ➤中醫會診Chinese medicine consultation(ABC)
- ▶英勇治療: ? 證據? Heroic treatment: ? evidence? (C)
- ▶昂貴的新藥:有一些延長生命幾週或數月的證據 expensive new drugs with some evidence of prolonging life for weeks /months (C)

決定前的評估過程Process of deliberation

- ➤從西醫獲得診斷、預後和治療的詳細情況 Get details of diagnosis, prognosis and treatment from WMP
- ➤從病人和家人獲得具體症狀以及身心照顧所面對的困難 Get details of symptoms, difficulties in physical & mental care from patient and family
- ▶探討財務、商務和家人承諾的期限
 Probe financial, business and family commitments with time frame



誰?如何? By whom? How?

➤團隊協作和溝通
Teamwork & communication





➤"循證醫學"與信心的博弈
Paradox of Evidence Based Medicine
vs Faith

